

# Cylinders

## Glass with Spout, Class B

All cylinders comply with BS604, ISO4788 (and DIN 12680 where indicated).

Capacity ml	Sub- divisions, ml
5	0.1
10	0.2
25	0.5
50	1
100	1
250	2
500	5
1000	10
2000	20

### Cylinders, MBL borosilicate

To DIN 12680, BS604, ISO4788. With spout and hexagonal glass foot. Blue enamel graduations and inscriptions. Class B.

Ref.	Cap. ml
<b>CY105-10</b>	CRC201 5
<b>CY105-14</b>	CRC202 10
<b>CY105-18</b>	CRC204 25
<b>CY105-22</b>	CRC206 50
<b>CY105-26</b>	CRC209 100
<b>CY105-30</b>	CRC211 250
<b>CY105-34</b>	CRC213 500
<b>CY105-38</b>	CRC214 1000
<b>CY105-42</b>	CRC216 2000

### Cylinders, Pyrex borosilicate

With detachable plastic foot. White enamel graduations and inscriptions. Class B.

Ref.	Cap. ml
<b>CY140-14</b>	3205/04 10
<b>CY140-18</b>	3205/06 25
<b>CY140-22</b>	3205/08 50
<b>CY140-26</b>	3205/10 100
<b>CY140-30</b>	3205/12 250

### Spare feet for CY140-series

Ref.	For cylinder ml
<b>CY144-14</b>	4500/00 10
<b>CY144-18</b>	4500/01 25
<b>CY144-22</b>	4500/02 50
<b>CY144-26</b>	4500/04 100
<b>CY144-30</b>	4500/06 250

### Cylinders, Pyrex borosilicate

To DIN 12680. With spout and hexagonal glass foot. White enamel graduations and inscriptions. Class B.

Ref.	Cap. ml
<b>CY160-10</b>	3200/02 5
<b>CY160-14</b>	3200/04 10
<b>CY160-18</b>	3200/06 25
<b>CY160-22</b>	3200/08 50
<b>CY160-26</b>	3200/10 100
<b>CY160-30</b>	3200/12 250
<b>CY160-34</b>	3200/14 500
<b>CY160-38</b>	3200/16 1000
<b>CY160-42</b>	3200/18 2000

### Cylinders, Heavy Duty, Pyrex borosilicate

To DIN 12680. Heavy duty, with spout, reinforced rim, thick wall and robust hexagonal foot. Blue enamel graduations and inscriptions. Class B.

Ref.	Cap. ml
<b>CY164-22</b>	3280-50 50
<b>CY164-26</b>	3280-100 100
<b>CY164-30</b>	3280-250 250
<b>CY164-34</b>	3280-500 500
<b>CY164-38</b>	3280-1L 1000
<b>CY164-42</b>	3280-2L 2000

Class A cylinders with spout – see next page.




CY105



CY140



CY160



CY164